D. Fitzger 1

PAGE: 1

#### RAW SEQUENCE LISTING PATENT APPLICATION US/09/050,249

DATE: 05/26/1999 TIME: 15:58:07

INPUT SET: S32013.raw

This Raw Listing contains the General Information Section and up to the first 5 pages.

1		SEQUENCE LISTING
2	(1) G	eneral Information:
4	. (1) G	eneral Information: ENTERED
5	(i)	APPLICANT: OKAMURA, Haruki
6		TANIMOTO, Tadao
7	•	TORIGOE, Kakuji
8	•	KUNIKATA, Toshio
9		TANIGUCHI, Mutsuko
10		KOHNO, Keizo
11	*	KURIMOTO, Masashi
12		
13	(ii)	TITLE OF INVENTION: IFN-BETA PRODUCTION INDUCING PROTEIN AND
14		MONOCLONAL ANTIBODY OF THE SAME
15		
16	(111)	NUMBER OF SEQUENCES: 9
17 18	/ 4 ** \	CODDECTONDENCE ADDRECS.
19	.(TV)	CORRESPONDENCE ADDRESS: (A) ADDRESSEE: BROWDY AND NEIMARK
20		(B) STREET: 419 Seventh Street, N.W., Suite 300
21		(C) CITY: Washington
22		(D) STATE: D.C.
23	•	(E) COUNTRY: USA
24		(F) ZIP: 20004
25		(1)
26	(V)	COMPUTER READABLE FORM:
27	, ,	(A) MEDIUM TYPE: Floppy disk
28		(B) COMPUTER: IBM PC compatible
29	- · · · · ·	(C) OPERATING SYSTEM: PC-DOS/MS-DOS
30		(D) SOFTWARE: PatentIn Release #1.0, Version #1.30
31	•	
32	· (Vi)	CURRENT APPLICATION DATA:
33		(A) APPLICATION NUMBER: 09/050,249
34		(B) FILING DATE:
35	, , ,	(C) CLASSIFICATION:
36		DRIOD ADDITIONATION DAMA
37	(V11)	PRIOR APPLICATION DATA:
38 39	•	(A) APPLICATION NUMBER: 08/502,535 (B) FILING DATE:
40		(b) Filling DAIE:
41	/wii\	PRIOR APPLICATION DATA:
42	( * + + /	(A) APPLICATION NUMBER: JP 45057/1995
43		(B) FILING DATE: 10-FEB-1995
44		/=/
45	(viii)	ATTORNEY/AGENT INFORMATION:
46	, ,	(A) NAME: BROWDY, Roger L.
		• • •

#### RAW SEQUENCE LISTING PATENT APPLICATION US/09/050,249

DATE: 05/26/1999 TIME: 15:58:07

INPUT SET: S32013.raw

														II I	VPUI	SEI: S	532013.raw
47			(1	B) R	EGIS'	TRAT:	ION 1	NUMB	ER:	25,6	18						
48			(1	C) R	EFER:	ence.	/DOC	KET 1	NUMB	ER:	OKAM	URA=	2 ·				
49																	
50		(ix)	-						RMAT:								
51			( )	A) T	ELEP	HONE	: 20	2-62	8-51	97							
52			(1	B) T	ELEF	AX:	202-	737-	3528								
53																	
54																	
55	(2)	INF	ORMA'	TION	FOR	SEQ	ID 1	NO:1	:								
56																	
57		(i)		QUEN								•	-				
58			•	•				•	pair	5			•				
59			•	B) T												•	
60			•	C) S'					gle			•					
61			(1	D) T	OPOL	OGY:	line	ear									
62														•			
63		(ii	) MOI	LECU	LE T	YPE:	CDN	A									
64																	
65		(ix		ATUR													
66			•	A) N											•		
67			(1	B) L	OCAT:	ION:	1	471			•						
68		•															_,
69			(1	יס (ס	THER	INF	ORMA'	rion	:/no	te= 2	Xaa :	in p	osit:	ion	70 1:	s Met	or <sub>(</sub> Thr
70					· ·												
71		(X1)	) SE	QUEN	CE DI	ESCR.	TLLI	ON:	SEQ :	TD NO	0:1:						
72		mmm	~~~	<i>aa</i> ,	~~~	a.a	mam		100	<b>aa</b> .	am s	3003	000	3 3 M	3 (7) 3	3.300	4.0
73									ACC								48
74		Pne	GTA	Arg		HIS	cys	Thr	Thr		vaı	TTE	Arg	ASN		ASII	
75 76	1				5					10					15		
76 77	asa	<b>CIN N</b>	amm.	ama	mma	C III III	aza	* * *	202	ava	CCT	ama	mm/c	a y a	CI N TT	ATG	96
. 78			_						Arg								96
. 78 79	ASP	GIII	νат	20	Pile	var	ASP	гÃР	25	GIII	FIO	vaı	FIIE	30	wab	Mec	
80				20					23					. 50	•		
81	х ст	CAT	א חיויי	G እ ጥ	מאא	አርጥ	acc	አረሞ	GAA	ccc	CAG	) CC	λGλ	מיים	מידא	ATA	144
82									Glu								444
83	1111	мэр	35	изр	GIII	Der	AIG	40	GIU	110	GTII	1111	45	Бец	110	110	
84		•	33		*			40					43				
85	ጥልሮ	ΔͲሮ	ТΔС	ΔΔΔ	GAC	ΔGT	GAA	СΤЪ	AGA	GGA	стс	GCT	ĠТG	ACC	СТС	тст	192
86									Arg								172
87	- y -	50	- y -	Lys	rob	501	55	***	nr 9	O <sub>T</sub>	пси	60	*41	****		501	
88		30			•		7.5										
89	GŤG	ΔAG	СΔТ	ΔGT	ΔΔΔ	AVG	тст	ACC	CTC	TCC	тст	AAG	AAC	AAG	ATC	АТТ	240
90									Leu								2.0
91	65	-73	rsb	761	y .	70	201		204	201	75	- y 13		-,5		80	
92	03					, ,					, ,					00	
93	ጥሮሮ	արդու	GAG	GAD	ΔΨα	ТАБ	CCA	ССТ	GAA	ΔΔΤ	Δππ	СΔТ	ጥፋይ	ልጥል	СУУ	ΔСΤ	288
94									Glu								200
95	Del	1 116	· OIU	-Lu	. 85	rsp	110	110	OLU	.90	116	Lop	b		95	~~-	
96					. 55						-				,,		
97	тар	CTC	ልጥል	ጥጥሮ	սիսիսի	CAG	ΔΔΔ	COT	GTT	CCA	GGA	CAC	AAC	AAG	Απα	GAG	336
98									Val								550
99	rab	<u> </u>	116	100		OT11	~y3	9	105	-10	-± y			110			
,,				100					100					-10			

PAGE: 3

# RAW SEQUENCE LISTING PATENT APPLICATION US/09/050,249

DATE: 05/26/1999 TIME: 15:58:08

		~ ~ ~			
- 1/1	vpi,	r SF7	* 51/	11111	mw

		•														<i>5</i> <b>2.</b> .	, <b>0 -</b> 0 - <b>0</b>		
100 101	முருமு.	CAA	ጥረጥ	TCA	CTC	ייי אייי	GAA	GGA	CAC	արար	Cultur	CCT	ሞርሮ	CAA	λλG	GAA		384	
101				Ser														301	
103	1110	014	115	501	ВСС	- 7 -	014	120	*****				125	<b></b>	_,_	<b></b>			
104															•				
105	GAT	GAT	GCT	TTC	AAA	CTC	АТТ	CTG	AAA	AAA	AAG	GAT	GAA	ААТ	GGG	GAT		432	
106				Phe															•
107	E	130			-4-		135		-,-	-1-	-3-	140			3				
108																			
109	AAA	TCT	GTA	ATG	TTC	ACT	CTC	ACT	AAC	TTA	CAT	CAA	AGT		•			471	
110	Lys	Ser	Val	Met	Phe	Thr	Leu	Thr	Asn	Leu	His	Gln	Ser						
111	145					150					155								
112																			
113																			
114	(2)	INF	ORMA	rion	FOR	SEQ	ID 1	10:2	:										
115																			
116		(	(i) S	SEQUE															
117										acids	S								
118							aming												
119				(D)	) TO	POLO	GY: ]	Linea	ar										
120							_									•		•	
121		. (1	11) 1	MOLE	CULE	TYP	s: pi	cote:	ın			•	•						
122				750111	-NAT	DEC	3D T D I	0 T A NT		. T.	NO . 1	٠.	,			•			
123 124		()	K1) :	SEQUE	SNCE	DESC	JRIP	LION	: SE	מד ל	NO:	<b>Z</b> :		•					
124	) an	Dho	al.,	Arg	T 011	uic	Cvc	Th~	Th ~	λla	U a l	Tla	Ara	λen	Tla	Acn		•	
126	ASII	FILE	GLY	Arg	<u>ьец</u>	urs	Cys	1111	1111	10	vaı	116	Arg	ASII	15				
127	_				3					10					13	-	•	•	
128	Asn	Gln	Val	Leu	Phe	Val	Δsn	T.vs	Δra	Gln	Pro	Val	Phe	Glu	Asp	Met			
129	ASP	0.111		20	1110	*41	иор	טעם	25	0111	110	• • • •	1110	30	пор	1100			
130														•	•				
131	Thr	Asp	Ile	Asp	Gln	Ser	Ala	Ser	Glu	Pro	Gln	Thr	Ara	Leu	Ile	Ile			
132			35					40					45						
133							,									•			
134	Tyr	Met	Tyr	Lys	Asp	Ser	Glu	Val	Arg	Gly	Leu	Ala	Val	Thr	Leu	Ser			
135	-	50	7	-			. 55			_		60							
136											,	•		*	• •		-		
137	Val	Lys	Asp	Ser	Lys	Xaa	Ser	Thr	Leu	Ser	Cys	Lys	Asn	Lys	Ile	Ile			
138	65					70					75					80			
139																			
140	Ser	Phe	Glu	Glu	Met	Asp	Pro	Pro	Glu	Asn	Ile	Asp	Asp	Ile					
141					85			• .		90					95				
142			_	_	_				_		_					_			٠
143	Asp	Leu	Ile	Phe	Phe	Gln	Lys	Arg		Pro	Gly	His	Asn	_	Met	Glu			
144				100					105					110					
145	-1	~ 7	~	~	_	-	<b>a</b> 3	~7		<b>m</b> 1 -						<b>a</b> 1			
146	Pne	GLu		Ser	Leu	Tyr	GLu	-	Hls	Pne	Leu	ΑΙΑ	_	GIN	гàг	GIU			
147			115					120					125						
148	A ~	λ ~ ~	. ר ג	nh -	T	T 0	т1 ~	T 63.	T	T	T ***	λ ~ ~	a1	i ~~	a1	X ~~			
149 150	ASP		АТА	Phe	газ	ьeu	11e	Leu	гÀг	гÃg	гÄg	140	GIU	ASI	сту	Asp			
150 151 ·		130					133					140							
151	Lve	Ser	Va 1	Met	Dhe	ጥኮ፦	Leu	Thr	Acn	Leu	ніс	aln	Ser						
104	The Article	Ser	۸ат	INC C	L IIC	TIIT	Ti Ci	TIIT	VOII	ıı <del>⊂</del> u	1172	OTIL	∽ <del>c</del> r						

# RAW SEQUENCE LISTING PATENT APPLICATION US/09/050,249

DATE: 05/26/1999 TIME: 15:58:08

INPUT SET: S32013.raw

153 154	145		150	155			
155 156	(2)	INFO	RMATION FOR SEQ ID NO:3:	•		•	
157 158		(i)	SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs			٠	-
159			(B) TYPE: nucleic acid		•		
160			(C) STRANDEDNESS: single	•			
161			(D) TOPOLOGY: linear				
162					-		•
163		(ii)	MOLECULE TYPE: other nucleic				
164			(A) DESCRIPTION: /desc = "C	ligonucleotid	le"		
165				•			
166							
167		(Xi)	SEQUENCE DESCRIPTION: SEQ ID	NO:3:			
168							
169	ATR'	rerre:	DA TRTTYTCNGG				20
170	(0)	TNEO	NAME OF SEC. IN NO. 4.				
171 172	(2)	INFO	RMATION FOR SEQ ID NO:4:				-
173		(1)	SEQUENCE CHARACTERISTICS:			•	
174		(1)	(A) LENGTH: 20 base pairs				
175			(B) TYPE: nucleic acid				
176			(C) STRANDEDNESS: single				
177	•		(D) TOPOLOGY: linear				
178							*
179		(ii)	MOLECULE TYPE: other nucleic	acid			
180		, ,	(A) DESCRIPTION: /desc = "O		le"	*	
181							
182							
183		(Xi)	SEQUENCE DESCRIPTION: SEQ ID	NO:4:		•	
184							
185	TTY	GARGA'	YA TGACNGAYAT			•	20
186							
187	(2)	INFO	RMATION FOR SEQ ID NO:5:				
188							
189		(1)	SEQUENCE CHARACTERISTICS:				
190			(A) LENGTH: 17 base pairs			**	
191			(B) TYPE: nucleic acid				
192 193			(C) STRANDEDNESS: single (D) TOPOLOGY: linear				•
194			(D) TOPOLOGI: Timear				
195		/ii\	MOLECULE TYPE: other nucleic	acid			
196		( + + )	(A) DESCRIPTION: /desc = "O		le"		
197			(11, 22301111110111 / 4050 = 0		-		
198					•		
199		(xi)	SEQUENCE DESCRIPTION: SEQ ID	NO:5:			
200		, /		•			
201	TTY	GARGAI	RA TGGAYCC				17
202					-		
203	(2)	INFO	RMATION FOR SEQ ID NO:6:				
204							
205		(i)	SEQUENCE CHARACTERISTICS:				

PAGE: 5

# RAW SEQUENCE LISTING PATENT APPLICATION US/09/050,249

DATE: 05/26/1999 TIME: 15:58:08

INPUT SET: S32013.raw

	·	INPU1 SE1: 532013.raw
206	(A) LENGTH: 26 base pairs	
207	(B) TYPE: nucleic acid	
208	(C) STRANDEDNESS: single	•
		•
209	(D) TOPOLOGY: linear	·
210		
211	(ii) MOLECULE TYPE: cDNA	
212		
213		
214	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
215	(NI) Digoinoù Dibonil II ave de la never	
	COLGORNOG LLOMBROGGO CLOMBO	26
216	CGAGGGATCG AACTTTGGCC GACTTC	26
217		
218	(2) INFORMATION FOR SEQ ID NO:7:	,
219	•	
220	(i) SEQUENCE CHARACTERISTICS:	
221	(A) LENGTH: 26 base pairs	
222	(B) TYPE: nucleic acid	
223	(C) STRANDEDNESS: single	
224	(D) TOPOLOGY: linear	•
225		
226	(ii) MOLECULE TYPE: cDNA	
227		
228	·	•
229	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
230	(,	•
231	CGAGGAATTC CTAACTTTGA TGTAAG	26
	COAGGARITE CTARCITION TOTARG	20
232		
233	(2) INFORMATION FOR SEQ ID NO:8:	•
234		
235	(i) SEQUENCE CHARACTERISTICS:	
236	(A) LENGTH: 42 base pairs	
237	(B) TYPE: nucleic acid	
238	(C) STRANDEDNESS: single	•
239	(D) TOPOLOGY: linear	
240	(b) Toronogi. Timear	
-	COLOR MARKET MINE COLOR	
241	(ii) MOLECULE TYPE: cDNA	
242		
243		•
244	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
245	•	
246	GAGGAATTCT GGAGGAAGGT ACCATGAACT TTGGCCGACT TC	42
247		
248	(2) INFORMATION FOR SEQ ID NO:9:	, -
	(2) INFORMATION FOR SEQ ID NO. 3.	,
249		
250	(i) SEQUENCE CHARACTERISTICS:	
251	(A) LENGTH: 26 base pairs	
252	(B) TYPE: nucleic acid	
253	(C) STRANDEDNESS: single	
254	(D) TOPOLOGY: linear	
255	(-)	
256	(ii) MOLECULE TYPE: cDNA	
	(II) MODECODE TIPE: CDNA	
257		
258		÷ .

PAGE: 1

#### **SEQUENCE VERIFICATION REPORT** PATENT APPLICATION *US/09/050,249*

DATE: 05/26/1999 TIME: 15:58:09

INPUT SET: S32013.raw

Line

Error

Original Text